

JOB NAME	
SALES REP	
ARCHITECT	
DESIGNER	
BUILDER	
INSTALLER	

Hand Hewn Beams



STANDARD SPECIFICATIONS

APPLICATION Mantels, Timbers
CONSTRUCTION Solid or Box
LENGTHS Up to 25'
WIDTHS & THICKNESSES Up to 10" x 10"*

*1" tolerances on this material

LEED MR-4 100% Post Consumer

SPECIES Oak or Mixed Species

SURFACE Hand Hewn

FINISH Pictured unfinished

Finishes available by request

INTERNAL PRODUCT REFERENCE

Due to the nature of reclaimed wood, variation in color, texture, and character will occur.

CHARACTER Mild Checking | Nail Holes | Mineral Stains | Hewn Surface | Mortises, Tenons, & Trunnels

APPLICATION Mantels | Ceiling Timbers | Decorative and Functional Supports

INSTALLATION Installation methods vary greatly depending on site conditions and application. Please feel free to contact us to verify installation methods.

Beams are visually denailed, power washed, and kiln dried for stability. The above listed widths, lengths, thicknesses, and mixed species are often available to ship in standard lead times. Custom sizes, larger sizes, single species, and specified species are available for extended lead times. Upcharge and extended lead time will apply to larger sizes and additional customizations such as finishes or custom constructions such as trusses. Speak to your Trout River Reclaimed sales representative for more information and details.





JOB NAME	
SALES REP	
ARCHITECT	
DESIGNER	
BUILDER	
INSTALLER	

Rough Sawn Beams



STANDARD SPECIFICATIONS

APPLICATION Mantels, Timbers
CONSTRUCTION Solid or Box
LENGTHS Up to 25'
WIDTHS & THICKNESSES Up to 10" x 10"*

*1" tolerances on this material

LEED MR-4 100% Post Consumer

SPECIES Oak or Mixed Species

SURFACE Rough Sawn

FINISH Pictured unfinished

Finishes available by request

INTERNAL PRODUCT REFERENCE _____

Due to the nature of reclaimed wood, variation in color, texture, and character will occur.

CHARACTER Mild Checking | Some Knots | Mineral Stains | Saw Kerf | Nail Holes

APPLICATION Mantels | Ceiling Timbers | Decorative and Functional Supports

INSTALLATION Installation methods vary greatly depending on site conditions and application. Please feel free to contact us to verify installation methods.

Beams are visually denailed, power washed, and kiln dried for stability. The above listed widths, lengths, thicknesses, and mixed species are often available to ship in standard lead times. Custom sizes, larger sizes, single species, and specified species are available for extended lead times. Upcharge and extended lead time will apply to larger sizes and additional customizations such as finishes or custom constructions such as trusses. Speak to your Trout River Reclaimed sales representative for more information and details.





JOB NAME	
SALES REP	
ARCHITECT	
DESIGNER	
BUILDER	
INSTALLER	

Milled Beams



STANDARD SPECIFICATIONS

APPLICATION Mantels, Timbers
CONSTRUCTION Solid or Box
LENGTHS Up to 25'
WIDTHS & THICKNESSES Up to 10" x 10"*

*1" tolerances on this material

LEED MR-4 100% Post Consumer

SPECIES Oak or Mixed Species

SURFACE Smooth

FINISH Pictured unfinished

Finishes available by request

INTERNAL	PRODUCT	REFERENCE	

Due to the nature of reclaimed wood, variation in color, texture, and character will occur.

CHARACTER Mild Checking | Some Knots | Nail Holes

APPLICATION Mantels | Ceiling Timbers | Decorative and Functional Supports

INSTALLATION Installation methods vary greatly depending on site conditions and application. Please feel free to contact us to verify installation methods.

Beams are visually denailed, power washed, and kiln dried for stability. The above listed widths, lengths, thicknesses, and mixed species are often available to ship in standard lead times. Custom sizes, larger sizes, single species, and specified species are available for extended lead times. Upcharge and extended lead time will apply to larger sizes and additional customizations such as finishes or custom constructions such as trusses. Speak to your Trout River Reclaimed sales representative for more information and details.

